



Product Documentation

Manually Launching Citrix XenApp Applications

Imprivata Enterprise Access Management 25.2

Contacting Imprivata

20 CityPoint, 480 Totten Pond Road, 6th Floor

Waltham, MA 02451 USA

Phone: 781-674-2700

Toll-Free: 1-877-OneSign

Fax: 1 781 674 2760

Support: 1 800 935 5958 (North America)

Support: 001 408-987-6072 (Outside North America)

<https://www.imprivata.com>

support@imprivata.com

Copyright and Legal Information

© 2025 Imprivata, Inc. All Rights Reserved.

This product is distributed under licenses restricting its use, copying, distribution and decompilation.

Imprivata's products may be covered in whole or in part by one or more U.S. pending or issued patents listed at <http://www.imprivata.com/patents>.

Trademark Information

OneSign, Imprivata, and the Imprivata logo are registered trademarks of Imprivata, Inc. ProvID and Imprivata OneSign APG are trademarks of Imprivata, Inc. in the United States and in other countries.

Legal Notices

Under international copyright laws, neither the documentation nor software may be copied, photocopied, reproduced, translated, or reduced to any electronic medium or machine-readable form, in whole or in part without the prior written consent of Imprivata, Inc., except as described in the license agreement.

The names of companies, products, people, and/or data mentioned herein are fictitious and are in no way intended to represent any real individual, company, product, or event, unless otherwise noted.

DOCUMENTATION IS PROVIDED "AS IS" AND ALL EXPRESS OR IMPLIED CONDITIONS, REPRESENTATIONS AND WARRANTIES, INCLUDING ANY IMPLIED WARRANTY OF MERCHANTABILITY, FITNESS FOR A PARTICULAR PURPOSE OR NON-INFRINGEMENT, ARE DISCLAIMED, EXCEPT TO THE EXTENT THAT SUCH DISCLAIMERS ARE HELD TO BE LEGALLY INVALID.

Document revision 25.2

Table of Contents

Manually Launching Citrix XenApp Applications	4
Before You Begin	4
Software Requirements	4
Session Persistence	4
Session Persistence Using COOKIEINSERT	4
Troubleshooting	5
Citrix Workspace App Configuration	5
Note the Citrix Connection Information	5
Configure Citrix for Native Connections to Stores	6
Citrix Cloud Connections	7
Create a Citrix Cloud OAuth Client	7
Locate the Client ID and Application ID	7
Configure Imprivata Web SSO for SAML Authentication	8
Step 1: Configure a Connection to the Imprivata Cloud	8
Step 2: Retrieve the Imprivata SAML Metadata and Certificate	8
Step 3: Configure Citrix Cloud as the SAML Service Provider	9
Step 4: Locate the Workspace URL	9
Step 5: Configure an Imprivata Web SSO Application Profile	9
Step 6: Configure Citrix Federated Authentication Service	10
Review the Expected User Workflow	10
Installation Sequence	10
Step 1: Verify that the Citrix XenApp Environment is Configured Correctly	10
Step 2: Install the Imprivata Agent on the Citrix Server	12
Step 3: Install the Imprivata Shared Kiosk Workstation Agent on Endpoint Computers	12
Step 4: Configure the Imprivata Connection to Citrix XenApp	12
Step 5: Create and Apply User Policies	12
Step 6: Create and Apply a Computer Policy for Endpoint Computers	13
Troubleshooting	15
Change the Clock Format on the ProveID Embedded Desktop	15
Optimize Citrix XenApp Session Sharing	15

Manually Launching Citrix XenApp Applications

**NOTE:**

Beginning with 24.2, Imprivata OneSign and Imprivata Confirm ID have been renamed to Imprivata Enterprise Access Management.

Some interfaces in the Imprivata Admin Console, Imprivata Appliance Console, and documentation may retain the older Imprivata OneSign and Imprivata Confirm ID product names.

This document includes information about configuring Imprivata to manually launch Citrix XenApp applications and contains the following sections.

Before You Begin

Software Requirements

Review the following:

- Verify that the Citrix XenApp environment is functioning normally, independent of Imprivata, before installing and configuring Imprivata components.
- Review the Imprivata Enterprise Access Management with SSO [Supported Components](#) matrix to confirm that your environment meets all of the minimum or recommended Citrix requirements.

Session Persistence

Session persistence (roaming) is managed by your virtual environment, not Imprivata Virtual Desktop Access. If your virtual environment is configured correctly for session persistence, Imprivata Virtual Desktop Access seamlessly roams user sessions, on authentication, to the endpoint computers in your environment.



NOTE: For more information about configuring session persistence, see your vendor-specific documentation.



BEST PRACTICE: Limit the delivery of an application to one instance per user. If the application is distributed across multiple servers in the farm, limiting the instance ensures that the Citrix broker roams the session that the user was previously using. For more information about configuring application delivery, see the Citrix documentation.

Session Persistence Using COOKIEINSERT

Session persistence maintains the connection between an endpoint and the Citrix Storefront after load balancing is performed. A common way to maintain session persistence is to use the endpoint source IP address. However, customers who use Network Address Translation (NAT) in front of a NetScaler load balancer cannot use this persistence method, because endpoints appear to have the same IP address at the load balancer.

Those customers must use the NetScaler COOKIEINSERT session persistence method. This method causes the NetScaler to insert a cookie into client requests, which the NetScaler uses to track the server to which the connection belongs.

To enable session persistence using COOKIEINSERT, perform this procedure **after** you have completed all steps in the main Installation Sequence section further below.

1. Configure the Citrix NetScaler's Persistence type to be COOKIEINSERT and specify a cookie name to use, for example, persistcookie.
2. Specify the same cookie name in your endpoints using either method a or b.

In both methods, VALUE is the cookie name you specified in the Citrix NetScaler:

a. **For Imprivata ProvID Embedded Linux endpoints:**

Add a new configuration option to the imprivata.conf configuration file on the endpoints, using one of two methods:

- Add this new section to the imprivata.conf file:

```
[citrix]
cookie-insert = VALUE
```

- Or run this command from the endpoint system prompt:

```
/usr/lib/imprivata/runtime/bin/configuration-editor citrix --cookie-insert
VALUE
```

b. **For Windows endpoints:**

Configure the cookie name using this Registry key:

```
HKLM\Software\SSOProvider\VDI\CookieInsertName String VALUE;
```

3. Reboot the endpoints.

Troubleshooting

An Imprivata agent log file entry that indicates a problem with this session persistence method is:

Failed to get COOKIEINSERT token – The Imprivata agent failed to get the cookie from the header.

Make sure that the cookie names are the same on the NetScaler and the endpoints.

Citrix Workspace App Configuration

After installing Citrix Workspace app, additional configuration is required to support Enterprise Access Management.

If you have not completed the configuration, see *Configuring Citrix Workspace App for Enterprise Access Management* in the Online Help.

Note the Citrix Connection Information

Imprivata agents communicate with known Citrix stores. The following table details the types of URLs that can be used to configure the connection to the Citrix store and the endpoints on which they are supported.

URL type	Examples	Endpoint type
Citrix DaaS	<ul style="list-style-type: none">https://example.cloud.com	You can use this URL for Windows endpoints only.
Store Front	<ul style="list-style-type: none">https://citrix-xendesk.example.com/Citrix/Store/https://citrix-xenapp.example.com/Citrix/Store/	You can use this URL for Windows endpoints only.
StoreFront Web Site	<ul style="list-style-type: none">https://citrix-xendesk.example.com/Citrix/StoreWeb/https://citrix-xenapp.example.com/Citrix/StoreWeb/	You can use this URL for Windows and PIE endpoints.
XenApp Services (PNAgent)	<ul style="list-style-type: none">https://citrix-xendesk.example.com/Citrix/Store/PNAgent/config.xmlhttps://citrix-app.example.com/Citrix/Store/PNAgent/config.xml	You can use this URL for Windows and PIE endpoints.

Configure Citrix for Native Connections to Stores

Additional Citrix configuration is required to support native connections to Citrix StoreFront stores. The Citrix store must be configured with the following authentication methods to support Enterprise Access Management:

- User name and password
- Domain pass-through
- HTTP basic — Even if the store is configured for HTTPS, this authentication method is required.

To configure the required authentication methods:

1. Open Citrix Studio.
2. Go to **Citrix StoreFront > Receiver for Web**.
3. Select the store you want to manage.
4. In the **Store Web Receiver** pane, click **Choose Authentication Methods**.
5. Click **Add/Remove Methods** and enable the required methods.

Citrix Cloud Connections

If you are managing your deployment through the Citrix Cloud, complete the following before you configure Imprivata Virtual Desktop Access.

**NOTE:**

Citrix Cloud connections are supported on Windows endpoints only.

Create a Citrix Cloud OAuth Client

A Citrix Cloud OAuth client is required to allow Enterprise Access Management to access Citrix Cloud APIs.

To create the client:

1. From the Citrix Cloud admin console, go to **Identity and access management > API Access > Workspace API**.
2. Enter a user-friendly display name. For example, Imprivata client.
3. Specify an email address to receive notifications about the client.
4. Create either a public or private client with the following configuration:
 - a. Set **Require users to accept consent when accessing this client** to **No**.
 - b. Set **Require Proof Key** to **Yes**.
 - c. Set **Will the consuming Application require Offline Access** to **No**.
5. Add **http://localhost:60000** as a redirect URL.

If you are unable to use port 60000, you can specify any other dynamic port range by setting the following registry key (DWORD) on all of your endpoints:

`HKEY_LOCAL_MACHINE\SOFTWARE\SSOProvider\ISXAgent\CitrixCloudDefaultServerPort`

**NOTE:**

This port is used internally by the Imprivata agent on the endpoint. The port does not need to be opened or exposed for external access.

6. Create the client.
7. If you have created a private client, copy or download the client secret.

You require the secret when configuring the Imprivata connection to your Citrix store(s).

**NOTE:**

The client secret cannot be retrieved again. If you lose it, you will need to rotate it.

Locate the Client ID and Application ID

Configuring the Imprivata connection to the Citrix store requires the following:

- A client ID
- An application ID
- If you created a private client, the client secret.

To locate the client and application ID:

1. From the Citrix Cloud admin console, go to **Identity and Access Management > API access > Workspace API**.
2. Locate your client, and note the client ID and application ID.
3. If you created a private client and do not have the client secret, edit the client. Editing the client gives you the option to rotate the secret and copy it.

Configure Imprivata Web SSO for SAML Authentication

SAML authentication eliminates the need to send a user name and password between Enterprise Access Management and Citrix when authenticating Enterprise Access Management users.

Using SAML authentication requires that you configure Imprivata Web SSO.



NOTE:

It is also recommended that you configure Citrix Federated Authentication Service (FAS). If you do not configure Citrix FAS, users are prompted to log in manually after the virtual resources are launched.

Step 1: Configure a Connection to the Imprivata Cloud

Imprivata provides you with an Enterprise ID and one-time cloud provisioning code. This information is required to configure a connection to the Imprivata cloud.

1. In the Imprivata Admin Console, click the **gear** icon, and then click **Cloud connection**.
2. Enter your Enterprise ID and cloud provisioning code.
3. Click **Establish Trust**.

Step 2: Retrieve the Imprivata SAML Metadata and Certificate

Configuring Citrix as the Service Provider requires the Imprivata IdP metadata and the x.509 certificate.

To retrieve the required information:

1. In the Imprivata Admin Console, click the **gear** icon, and then click **Web app login configuration**.
2. Click **View and copy Imprivata (IdP) SAML metadata**.
3. Copy and save the following:
 - The entity ID URL.
 - The SSO post URL.

- The SLO post URL.

4. Download the Imprivata IdP certificate.

Step 3: Configure Citrix Cloud as the SAML Service Provider

Configuring Citrix as the Service Provider requires the Imprivata SAML metadata and certificate.

To configure Citrix as the SP:

1. In the Citrix Cloud console, go to the menu, and click **Identity and Access Management**.
2. From the **Authentication** page, add Imprivata as an IdP.
Be sure to specify SAML 2.0 as the authentication type.
3. Connect to your new IdP, and specify an administrator sign-in URL.
4. Download the service provider SAML metadata and save it to an XML file.
You require the metadata when configuring the Imprivata SSO application profile for SAML.
5. Enter the following Imprivata IdP metadata that you copied from the Imprivata Admin Console:
 - a. The entity ID
 - b. The SSO post URL
 - c. The SLO URL
6. Upload the Imprivata x.509 certificate.
7. Note the following Citrix Identity Platform attributes. You must map these attributes to your user directory (domain) when configuring the Imprivata application profile for SAML:
 - cip_sid
 - cip_upn
 - cip_email
 - cip_oid

Step 4: Locate the Workspace URL

You require your Workspace URL when configuring the Imprivata connection to your virtual resources.

To locate the URL:

1. In the Citrix Cloud console, go to the menu, and click **Workspace configuration**.
2. From the **Authentication** page, copy and save your Workspace URL.

Step 5: Configure an Imprivata Web SSO Application Profile

An Imprivata Web SSO application profile is required to configure SAML authentication.

To configure the application profile:

1. In the Imprivata Admin Console, click **Applications > Single sign-on application profiles**.
2. Click **Add App Profile > Application using SAML**.

3. Enter an application profile name and user-friendly name.
4. Click **Get SAML metadata**, select **From XML**, and upload the SP SAML metadata XML file.
5. Map the following Citrix Identity Platform attributes to your user directory (domain):
 - cip_sid
 - cip_upn
 - cip_email
 - cip_oid
6. Save the application profile and deploy it to your users.


Step 6: Configure Citrix Federated Authentication Service

After you configure Web SSO for SAML authentication, it is recommended that you configure Citrix FAS. If you do not configure Citrix FAS, users are prompted to log in manually after the virtual resources are launched.

For more information, see [Configuring Support for Citrix Federated Authentication Service](#).

Review the Expected User Workflow

The following diagram illustrates the expected workflow when the Enterprise Access Management environment is configured to let users manually launch Citrix XenApp applications.



Installation Sequence

Step 1: Verify that the Citrix XenApp Environment is Configured Correctly

Before you install the Imprivata agent on endpoint computers, verify that the Citrix XenApp environment is installed and configured correctly:

1. Install the Citrix XenApp Server software.
2. Install the Citrix Web Interface software or Citrix Storefront.
3. Install a supported version of Citrix Workspace app on all endpoint computers where you plan to install the Imprivata agent.
4. Install and configure the XenApp published applications to be used.
5. Verify the Citrix XenApp store settings and note the respective store URLs (Web Site or XenApp Services URL). See the Citrix user documentation for more details.

Step 2: Install the Imprivata Agent on the Citrix Server

To install the Imprivata agent on the Citrix Server, follow the directions for installing a Imprivata Citrix or Terminal Server Agent. See "Deploying the Imprivata Citrix or Terminal Server Agent" in the Imprivata Help.



NOTE:

This step is only required for on-premises deployments. If you are managing your deployment through the Citrix Cloud, you can skip this step.

Step 3: Install the Imprivata Shared Kiosk Workstation Agent on Endpoint Computers

See "Deploying the Imprivata Agent" in the Online Help for instructions on installing agents. Choose the method that suits your environment.

Step 4: Configure the Imprivata Connection to Citrix XenApp

Imprivata agents communicate with known Citrix stores. To configure the connection:

1. In the Imprivata Admin Console, go to the Computers menu > **Virtual Desktops** page > **Citrix XenApp** section.
2. Enter the URL that should be used to connect to the Citrix store.
3. If you are managing your deployment through the Citrix Cloud, enter the client ID, application ID, and if the client is private, the client secret.
4. Select **Allow authentication from XenApp-enabled devices**.
5. Click **Save**.

Step 5: Create and Apply User Policies

Create and apply a user policy that enables access to Citrix XenApp applications.

Step 5a: Create a User Policy

To create a user policy:

1. In the Imprivata Admin Console, go to the **Users** menu > **User policies** page.
You can select an existing user policy from the list, or make a copy of the Default User Policy as a starting point. If you want to edit an existing user policy, click the existing user policy name, and skip to step 5.
2. To copy the Default User Policy, select **Default User Policy**, then click **Copy**.
3. Click **Default User Policy (2)**.
4. Rename the user policy in the **Policy Name** field.

5. Click the **Virtual Desktops** tab.
6. Select **Enable virtual desktop automation**.
7. Select **Automate access to applications or published desktops**.
8. Select a roaming option:
 - **Roam open applications** — Select this option to roam all applications with an active session. This includes applications that are configured to automatically launch, as well as those that a user has manually launched.
 - **Roam automatically launched applications** — Select this option to roam applications that are configured to automatically launch:
 - If an application session is present, only the automatically launched application is roamed.
 - If an application session is not present, the application is automatically launched again.



NOTE: Under certain circumstances, applications that users manually launch are also roamed. This typically happens when the session is present, and the application is hosted on the same Citrix server as the applications that are configured to automatically launch.

9. Click **Save**.

Step 5b: Apply a User Policy

To apply the user policy:

1. In the Imprivata Admin Console, go to the **Users** menu > **Users** page.
2. Select the users to which you want to apply the user policy.

You can view additional pages of the **Users** list without losing your selections. Imprivata keeps track of all the users you have selected and displays a counter at the top of the page.



BEST PRACTICE: To select multiple users more efficiently, use the **Search for Users** tool at the top of the **Users** page. Search for Users offers several search parameters for refining your results.

3. Click **Apply Policy**.
4. Choose the policy from the drop-down list and click **OK**.

Step 6: Create and Apply a Computer Policy for Endpoint Computers

Create a computer policy for the endpoint computers that are supporting published applications.

Step 6a: Create a Computer Policy for Endpoint Computers

To create a computer policy:

1. In the Imprivata Admin Console, go to the **Computers** menu > **Computer policies** page. You can select an existing computer policy from the list, or make a copy of the Default Computer Policy as a starting point. If you want to edit an existing computer policy, click the existing computer policy name, and skip to step 5.
2. To copy the Default Computer Policy, select **Default Computer Policy**, then click **Copy**.
3. Click **Default Computer Policy (2)**.
4. Rename the computer policy in the **Name** field.
5. Go to the **Virtual Desktops** tab > **Citrix XenApp** section.
6. Select **Automate access to Citrix XenApp** to have Imprivata automatically handle login behavior for Citrix XenApp.
7. You can control the behavior when an endpoint computer is locked. Under **When a XenDesktop endpoint is locked**, choose one of the following:
 - **Keep the XenApp client and user session active** — Preserves the user session. When a user logs back in to this endpoint computer (or another endpoint computer with XenApp enabled), their XenApp applications are preserved just as they were when this endpoint computer was locked.
 - **Shutdown the XenApp client and disconnect the user session** — Helps optimize resource consumption and minimizes the total number of active sessions in use in the enterprise. When a user logs back into this endpoint computer (or another endpoint computer with XenApp enabled), their XenApp applications relaunch.
8. **Optional** — For ProveID Embedded devices, select **Enable Published Applications** to enable manually-launched XenApp published applications.
9. Select the servers that the endpoint computers should use.
10. Click **Save**.

Step 6b: Apply a Computer Policy to Endpoint Computers

Apply the computer policy you just created to endpoint computers.

Manually Assigning the Computer Policy

To assign the computer policy:

1. In the Imprivata Admin Console, go to the **Computers** menu > **Computers** page.
2. Select the computers to which you want to apply the computer policy. You can use **Search for Computers** to enter search criteria.
3. Select **Apply Policy**.
4. Select **Choose a policy for selected computers**, select the policy from the list, and then click **Apply Policy**.

Automatically Assigning the Computer Policy

Computer policy assignment rules let you assign a policy to existing endpoint computers and make sure that the policy is automatically assigned to endpoint computers that are added later.

To automatically assign the computer policy:

1. In the Imprivata Admin Console, go to the **Computers** menu > **Computer Policy Assignment** page.
2. Click **Add New Rule**.
3. Name the rule and select the assignment criteria.
4. Select the policy you created and click **Save**.

Troubleshooting

Change the Clock Format on the ProveID Embedded Desktop

By default, the Imprivata ProveID Embedded desktop displays the time in the 12 hour clock format.

The clock format is managed by a configuration file (Imprivata.conf) on the Imprivata ProveID Embedded device. To change the display to the 24 hour clock format you can:

- Use the configuration editor
- Modify the Imprivata.conf file directly

To update the format using the configuration editor, run the following:

- Enable the 24 hour format:
`/usr/lib/imprivata/runtime/bin/configuration-editor apps-clock --24h`
- Enable the 12 hour format:
`/usr/lib/imprivata/runtime/bin/configuration-editor apps-clock --12h`

To update the format by modifying the configuration file:

1. Go to `/usr/lib/imprivata/runtime/etc/`.
2. Open the Imprivata.conf file:
 - Enable the 24 hour format:
`[applications.clock]
use-24h=true`
 - Enable the 12 hour format:
`[applications.clock]
use-24h=false`

Optimize Citrix XenApp Session Sharing

In certain network environments, session sharing does not occur when users start multiple XenApp applications at the same time.

To optimize resource consumption, you can minimize this behavior by extending the period Citrix waits for an application to start before it starts the second application in a second session. The default time-out value is 20 seconds.

To extend the time-out period, add the registry key **SucConnTimeout** to **HKEY_LOCAL_MACHINE\SOFTWARE\Citrix\ICA Client\Engine\Configuration\Advanced\Modules\WFClient** with a **Data Type** of **REG_STRING** and a **Value** of <20 or more seconds>.